DELTA FIRST LLC

MANUFACTURERS OF FINE PRODUCTS FOR THE PAINT AND TIRE INDUSTRIES

Safety Data Sheet

Section 1 – Chemical Product and Company Identification:

MAGNUM SEALITUP TIRE SEALANT

- 1.1 Product Identification: MAGNUM SEALITUP TIRE SEALANT
- 1.2 Product Brand & Number: MAGNUM TIRE SEALANT, DP-55, DP-6, DP-1
- 1.3 Recommended use of the product and restrictions on use:

A solution of chemicals for use in commercial tires for puncture and corrosion protection.

1.4 Manufacturer's Name: DELTA FIRST LLC

Address: 105 BUCKNELL CT STE B

ATLANTA GA 30336

1.5 **Information Phone #s:** 1-404-349-2560 Emergency Phone #: 1-404-349-2560

Section 2 – Hazards Identification:

2.1 Classification of product:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

SERIOUS EYE DAMAGE/EYE IRRITATION-Category 2A AQUATIC HAZARD (ACUTE) –Category 3 AQUATIC HAZARD (LONG TERM)-Category 3

- 2.2 Label elements:
- 2.3 GHS Label elements

The product is classified and labeled according to the Globally Harmonized System (GHS)

2.4 Hazard Pictograms

None Required

- 2.5 **Signal word:** None Required
- 2.6 Hazard-determining components of labeling: Ethylene Glycol
- 2.7 Hazard statements:

None Required

2.8 **Precautionary statements:**

General

P102 – Keep out of reach of children.

P103: Read label before use.

Disposal

P501 - Dispose of contents/container in accordance with local, state and federal regulations

- 2.9 Trade Name: SEALITUP HEAVY DUTY (AKA 502) Protects down to 10° F
- 3.0 Classification system:

NFPA ratings (scale 0-4) - Health = 1, Fire = 1, Reactivity = 0 HMIS ratings (scale 0-4) - Health = 1, Fire = 1, Reactivity = 0



Section 3 – Composition / Information on Ingredients:

- 3.1 Chemical characterization: Mixtures
- 3.2 **Description:** Mixture of substances listed below with nonhazardous additions.
- 3.3 **Dangerous components:** CAS # % by Wt

 Ethylene Glycol 107-21-1 5 10

 STOT RE 2, H373; H373; H302, Acute Tox. 4



Percentages of ingredients are being withheld as trade secret information and vary according to each product. This information will be disclosed as necessary to authorized individuals.

No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product beyond those listed above.

Section 4 – First Aid Measures:

4.1 Description of first aid measures:

After Inhalation: Supply fresh air, consult doctor in case of complaints

After Eye Contact: In case of contact, remove any contact lenses, immediately flush eyes with water for at least 15 minutes and get medical attention.

Skin Contact: Generally the product does not irritate the skin.

After Ingestion: If symptoms appear and persist seek medical advice.

Important symptoms and effects, both acute and delayed: No further information is available.

Section 5- Fire-Fighting Measures:

5.1 Extinguishing media:

Suitable extinguishing agents: CO2, Extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 **Protective equipment:** Wear self contained breathing apparatus pressure demand (NIOSH) approved or equivalent and full protective gear to prevent contact with skin or eyes.
- 5.3 Unusual fire or explosion hazards: None
- 5.4 Hazardous combustion products: Carbon Oxides, CO and CO2, and possible unknown

Section 6 – Accidental Release Measures:

gases.

6.1 Personal precautions, protective equipment and emergency procedures: Not required

6.2 Containment and environmental precautions:

Utilize standard liquid absorption material and dike where necessary, dilute with plenty of water. Do not allow to enter sewers/surface or ground water. Ensure adequate ventilation. Dispose of collected material in accordance with to regulations.

6.3 Reference to other sections:

See section 7 for information on safe handling

See section 8 for information on personal protective gear

See section 13 for disposal information

Section 7 – Handling and Storage:

- 7.1 **Handling/Storage precautions:** Ensure good ventilation and exhaust. Prevent the formation of aerosols. Store in tightly closed containers. Guard against puncture.
- 7.2 Information about protection against explosion and fires: No special measures needed
- 7.3 **Specific end uses:** No further information available

Section 8 – Exposure Controls/Personal Protection:

- 8.1 Additional information about design of technical systems: No further data: see section 7
- 8.2 Components with occupational exposure limits:

57-55-6 Propylene Glycol - WEEL Long term value: 10 mg/m³

107-21-1 Ethylene Glycol - TLV Long term value: NIC-10* mg/m³, (H);* as inhalable fraction and vapor Additional information: The lists that were valid during the creation were used as basis.

8.3 Exposure controls:

General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before and after breaks and the end of work.

Avoid contact with eyes and skin

Breathing equipment: Not required

Protection of hands: Utilize gloves that are chemically resistant and durable enough to withstand the rigors of manual labor. Actual "hands on" experience is needed to determine the efficacy of work gloves.

Eye protection: Tightly sealed goggles

Section 9 – Physical and Chemical Properties:

9.1 **Properties:**

Appearance: Blue, green or orange water/glycol viscous liquid solution

Odor: Characteristic
Odor threshold: Not determined
Flammability Not flammable
Solubility in water: Fully miscible
Boiling Point: < 350° F
Flash Point: N/A

Ignition temperature: 371° C (700F)

Auto ignition: Product is not self igniting
Danger of explosion: Product is not explosive

Explosion limits:

Lower: 0.0 Vol % Upper: 12.6 Vol % Decomposition temperature: Not determined Specific Gravity: (H20 = 1): 1.06 pH: $10 \pm .5$

Vapor Pressure @ 20 C (68 F) 23 hPa (17 mm Hf)

Density:

Relative density
Vapor density
Evaporation rate

Partition coefficient (n-octanol/water):

Boiling point:

Melting point:

Freeze Point:

Not determined
Not determined
Not determined
Not applicable
- 9° C, <18° F

Viscosity: Range = 11,000 cps - 1,300 cps with an increasing rpm

Solvent content:

Organic solvents: 12.0 % Water: 74.2% VOC content: 12.0 % Solids content: 3.0 %

Section 10 – Stability and Reactivity:

10.1 Information on stability and reactivity:

Reactivity: No further information available Chemical stability: Stable under normal conditions

Thermal decomposition / Conditions to avoid: No decomposition if used to

according to specifications Incompatibility: Oxidizing agents

Hazardous Decomposition or Byproducts: None known

Hazardous Polymerization: Will not occur

Section 11 – Toxicological Information:

11.1 Information on toxicology:

Acute toxicity: LD/LC 50 values that are relevant for classification:

7632-00-0 sodium nitrite - Oral LD50 - 85 mg/kg (rat)

Primary irritant effect. on skin - none, on eyes - irritating, causes serious irritation

11.2 Additional toxicological information:

The product shows the following dangers according to internally approved methods for preparations: Irritant

calculation

11.3 Carcinogenic categories:

IARC (International Agency for Research on Cancer)
110-91-8 Morpholine
NTP (National Toxicological Program)
None of the ingredients are listed
OSHA-CA (Occupational Safety & Health Administration)
None of the ingredients are listed

Section – 12 Ecological Information:

12.1 **Toxicity:**

Aquatic toxicity: No further relevant information available

- 12.2 **Persistence and degradability:** No further relevant information available
- 12.3 **Mobility in soil:** No further relevant information available

12.4 Additional ecological information:

General notes: Water hazard class 1 (self assessment): slightly hazardous for water

12.5 Results of PBT and vPvB assessment:

PBT: Not applicable vPvB: Not applicable

12.6 **Other adverse effects:** No further relevant information available

Section 13 – Disposal Considerations:

13.1 Waste treatment methods:

Recommendations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system

13.2 Uncleaned packages:

Recommendations: Disposal must be made according to official regulations

13.3 **Recommended cleansing agent:** Water, if necessary with cleaning agents

Section 14 – Transport Information:

14.1 **UN - Number**

DOT, ADR, IMGD, IATA - Non-Regulated Material

14.2 UN proper shipping name:

DOT, ADR, IMGD, IATA - Non-Regulated Material

14.3 Transport hazard class (es)

DOT, ADR, IMGD, IATA class - Non-Regulated Material

14.4 Packing group:

DOT, ADR, IMGD, IATA - Non-Regulated Material

14.5 Environmental hazards:

Marine pollutant: No

14.6 **Special precautions for user:** Not applicable

14.7 Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code: Not applicable

!4.8 UN "Model Regulation": -

Section 15 – Regulatory Information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA: Section 335 (extremely hazardous substances:

None of the ingredients are listed

Section 313 (Specific toxic chemical listings)

107--21-1 ethylene glycol 7632-00-0 sodium nitrite

15.2 TSCA (Toxic Substances Control Act): All ingredients are listed

15.3 Proposition 65:

Chemicals known to cause cancer:

None of the ingredients are listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

Chemicals known to cause developmental toxicity:

None of the ingredients are listed

15.4 Carcinogenic categories:

EPA (Environmental Protection Agency) - None of the ingredients are listed

TLV (Threshold Limit Value established by ACGIH

107-21-1 Ethylene Glycol A4 1332-58-7 Kaolin 2 mg/m³

110-91-8 Morpholine A4

15.5 NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed

15.6 GHS Label elements:

The product is classified and labeled according to the Globally Harmonized System (GHS)

15.7 Hazard pictograms:

None Required

- 15.8 **Signal word:** None Required.
- 15.9 Hazard-determining components of labeling: Ethylene Glycol
- 15.91 Hazard statements: None Required.

15.92 **Precautionary statements:**

General

P102 – Keep out of reach of children.

P103: Read label before use.

Disposal

P501 - Dispose of contents/container in accordance with local, state and federal regulations

15.93 National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances

15.94 States right to know:

 57-55-6
 Propylene Glycol
 15-35 %

 107-21-1
 Ethylene Glycol
 5-10 %

STOT RE, H373; Acute Tox 4, H302

=< 2.5%

=< 2.5%

1332-58-7 Kaolin

STOT SE 3, H335

7632-00-0 Sodium Nitrite

Ox Sol, 3, H272, Acute Tox 3, H301, Aquatic Acute 1, H400

5/1501, 5, 11272, 116ate 15/15/1, 114atte 176ate 1, 11166

110-91-8 Morpholine =< 2.5 %

Flam Liq 3, H226: Skin Corr 1B, H314, Acute Tox 4, H302, Acute Tox 4, H312:

Acute Tox 4, H332

11138-66-2 Xanthan Gum =< 2.5

Chemical safety assessment: Has not been carried out

Section 16 – Other Information:

Created: 6/25/15 Supersedes: 6/01/2015 Additional Comments: None

Abbreviations and acronyms:

ADR - Accord europeen sur transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)

ADN - The European Agreement concerning the international Carriage of Dangerous Goods by inland Waterways

IMDG - International Maritime Code for Dangerous Goods

DOT - US Department of Transportation

IATA - International Air Transport Association

ACGIH - American Conference of Governmental Industrial Hygienists

EINECS - European Inventory of Existing Commercial Chemical Substances

ELINCS - European List of Notified Chemical Substances

CAS - Chemical Abstract Service (division of the American Chemical Society)

NFPA - National Fire Protection Association (USA)

HMIS - Hazard Materials Identification System (USA)

VOC - Volatile Organic Compounds (USA, EU)

LC50 - Lethal concentration, 50%

LD50 - Lethal dose, 50%

Ox, Sol 3 - Oxidizing Solids, Hazard Category 3

Acute Tox 3- Acute toxicity, Hazard Category 3

Acute Tox 4 - Acute toxicity, Hazard Category 4

Eye Irrit 2B - Serious eye damage/eye irritation, Hazard Category 2B

STOT RE 2 - Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1 - Hazardous to the aquatic environment - Acute Hazard, Category 1

Disclaimer: Judgments as to the suitability of information herein for the purchaser's purposes are necessarily the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, Delta First, LLC, extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use.